## IN THE SPECIFICATION

Please replace the paragraph starting on page 16, line 17 with the following amended paragraph:

Still other exendin analogs with agonist activity are described in commonly owned PCT Application Serial No. PCT/US97/14199, filed August 8, 1997, entitled "Methods for Regulating Gastrointestinal Activity," which is a continuation-in-part of U.S. Patent Application Serial No. 08/694,954 filed August 8, 1996, now abandoned, both of which are hereby incorporated by reference.

Please replace the paragraph starting on page 17, line 15 with the following amended paragraph:

Still other exendin analogs with agonist activity are described in commonly owned PCT Application Serial No. PCT/US00/14231, filed May 23, 2000, entitled "Use of Exendins and Agonists Thereof for the Treatment of Gestational Diabetes Mellitus," which claims priority to U.S. Patent Application No. 09/323,867 filed June 1, 1999, now U.S. Patent No. 6,506,724, both of which are hereby incorporated by reference.

Please replace the paragraph starting on page 21, line 1 with the following amended paragraph:

According to an especially preferred aspect, especially preferred compounds include those of formula (I) wherein: Xaa<sub>1</sub> is His or Arg; Xaa<sub>2</sub> is Gly or Ala; Xaa<sub>3</sub> is Asp or Glu; Xaa<sub>5</sub> is Ala or Thr; Xaa<sub>6</sub> is Ala, Phe or nephthylalaine naphthylalanine; Xaa<sub>7</sub> is Thr or Ser; Xaa<sub>8</sub> is Ala, Ser or Thr; Xaa<sub>9</sub> is Asp or Glu; Xaa<sub>10</sub> is Ala, Leu or pentylglycine; Xaa<sub>11</sub> is Ala or Ser; Xaa<sub>12</sub> is Ala or Lys; Xaa<sub>13</sub> is Ala or Gln; Xaa<sub>14</sub> is Ala, Leu or pentylglycine; Xaa<sub>15</sub> is Ala or Glu; Xaa<sub>16</sub> is Ala or Glu; Xaa<sub>17</sub> is Ala or Glu; Xaa<sub>19</sub> is Ala or Val; Xaa<sub>20</sub> is Ala or Arg; Xaa<sub>21</sub> is Ala or Leu; Xaa<sub>22</sub> is Phe or naphthylalanine; Xaa<sub>23</sub> is Ile, Val or tert-butylglycine; Xaa<sub>24</sub> is Ala, Glu or Asp; Xaa<sub>25</sub> is Ala, Trp or Phe; Xaa<sub>26</sub> is Ala or Leu; Xaa<sub>27</sub> is Ala or Lys; Xaa<sub>28</sub> is Ala or Asn; Z<sub>1</sub> is OH, -NH<sub>2</sub>, Gly-Z<sub>2</sub>, Gly Gly-Z<sub>2</sub>, Gly Gly Xaa<sub>31</sub>-Z<sub>2</sub>, Gly Gly Xaa<sub>31</sub> Ser-Z<sub>2</sub>, Gly Gly Xaa<sub>31</sub> Ser Ser Gly Ala-Z<sub>2</sub>, Gly Gly Xaa<sub>31</sub> Ser Ser Gly Ala-Z<sub>2</sub>, Gly Gly Xaa<sub>31</sub> Ser Ser Gly

Ala Xaa<sub>36</sub>-Z<sub>2</sub>, Gly Gly Xaa<sub>31</sub> Ser Ser Gly Ala Xaa<sub>36</sub> Xaa<sub>37</sub>-Z<sub>2</sub>, Gly Gly Xaa<sub>31</sub> Ser Ser Gly Ala Xaa<sub>36</sub> Xaa<sub>37</sub> Xaa<sub>38</sub>-Z<sub>2</sub>; Xaa<sub>31</sub>, Xaa<sub>36</sub>, Xaa<sub>37</sub> and Xaa<sub>38</sub> being independently Pro homoproline, thioproline or N-methylalanine; and Z<sub>2</sub> being -OH or -NH<sub>2</sub>; provided that no more than three of Xaa<sub>3</sub>, Xaa<sub>5</sub>, Xaa<sub>6</sub>, Xaa<sub>8</sub>, Xaa<sub>10</sub>, Xaa<sub>11</sub>, Xaa<sub>12</sub>, Xaa<sub>13</sub>, Xaa<sub>14</sub>, Xaa<sub>15</sub>, Xaa<sub>16</sub>, Xaa<sub>17</sub>, Xaa<sub>19</sub>, Xaa<sub>20</sub>, Xaa<sub>21</sub>, Xaa<sub>24</sub>, Xaa<sub>25</sub>, Xaa<sub>26</sub>, Xaa<sub>27</sub> and Xaa<sub>28</sub> are Ala. Especially preferred compounds include those set forth in PCT application Serial No. PCT/US98/24210, filed November 13, 1998, entitled "Novel Exendin Agonist Compounds" identified therein as compounds 2-23.